

The individual all-rounder for smart streaming entertainment

Pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision

Integrated Loewe dr+ hard disk drive with 1 terabyte recording capacity

Super fast Loewe os with comfortable Loewe remote control

Netflix, YouTube, Disney+, Apple tv+, Zattoo, HD+ and more

Support of Alexa Skills, Miracast, Apple AirPlay and DTS Play-Fi

Innovative audio solutions from invisible sound to klang bar i and beyond















































LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics - Made in Germany.

Data sheet Loewe inspire October 2024











The individual all-rounder for smart streaming entertainment





Superior picture quality

Brilliant TV experience with Ultra HD OLED panels and a full range of HDR formats including Dolby Vision. Delivered by the latest W-OLED generation from LG Display with best performance, deepest black and lowest reflectivity.

Pre-calibrated in our own factory at the headquarters in Kronach, Germany to meet all relevant movie picture and colour standards for a perfectly natural and impressive image reproduction right out of the box in your living room.

Integrated digital recorder

Loewe dr+ system for comfortable recording: A premium EPG, a triple tuner, an integrated 1TB HDD, native VoD apps and HbbTV media libraries allow timeshift and recording DVB in the background while watching streaming content or movies from the archive.

The Loewe chassis SL850 is based on a high performance main CPU and runs with Loewe os 8 for fast operation and full support on features, apps and connectivity standards, including two HDMI 2.1 inputs with UHD VRR @ 120 Hz - perfect for gaming consoles with fast graphics.

Super fast smart streaming

The super-fast Loewe os 8 offers all important VoD services like Netflix, YouTube, Disney+, Apple tv+, Freeview Play, HD+, Zattoo, FIFA+ and many more. It also supports Apple AirPlay and DTS Play-Fi for great network interaction and connectivity with smart home and multiroom audio devices.

The comfortable alu-made Loewe remote offers six direct streaming buttons plus control via the illuminated cursor field. Paired by Bluetooth, it also supports voice commands on your TV. Simply activate the microphone by the push of a button.




Innovative sound solutions

Innovative modular audio solutions from invisible sound to klang bar i and beyond fit to every use-case and situation. Loewe in-house audio development and sound tuning together with Dolby Atmos ensure best acoustic reproduction and movie experience at any time.

Loewe invisible sound with pure monitor-look is the solution for design-aficionados or smaller rooms. Or attach the Loewe klang bar i and enjoy 80 watts, a wider stereo stage and best speech intelligibility. Adding the wireless Loewe klang sub1 makes it a 2.1 system with more volume and bass.

Or connect a Loewe klang bar via HDMI eARC plus one or several Loewe klang sub5 and klang mr speakers to create a true multichannel home cinema via Loewe wireless digital audiolink.



Sophisticated 360° design

Design, construction and quality Made in Germany: A timeless look, with magnetic rear covers, cable management, hidden connections, a basalt grey spraypainted and partly fabric covered rear cabinet is without compromise and expresses pure elegance.

The inner mechanical construction is both clever and robust, with solid VESA bolts funded in the metal main structure of the set and a massive table plate including a rotatable stand with all the way concealed cable routing.



Individual modular solutions

Optional accessories allow the personal configuration of your own home entertainment center to perfectly fit your needs and living space.

The Loewe table stand i can be upgraded with the spacer i to place Loewe klang bars in front of the screen without hindrance. The Loewe floor stand flex, pure or with klang bar and equipment boards allows numerous different use-cases. The unique Loewe floor2ceiling stand creates its own impressive style. Different Loewe wall mounts, also for the klang bars, support any wall installation.

Loewe wireless digital audiolink, together with the Loewe klang system components, allows expandable sound solutions from active soundbars, with one or many subwoofers, to wireless speakers for multichannel home cinema or multiroom audio.

Data sheet Loewe **inspire** October 2024

The individual all-rounder for smart streaming entertainment

Achievements







"The new Loewe inspire stands out from the crowd."

computerbild.de, 06.07.2024 about inspire 55 dr+ Test result: 1,4 VERY GOOD



"The Loewe inspire not only impresses with its exclusive design, but also with its picture quality and its built-in TV recorder. Operation, connections and setup & sound options are of a high standard."

hifi.de, 10.7.2024 about inspire 55 dr+ & klang bar i Test result: 9.2 VERY GOOD & 9.3 VERY GOOD



"The Loewe inspire 55 dr+ offers very good picture quality. It also combines the best of both worlds. Added to this are the high-quality workmanship and elegant design for which the Kronach-based manufacturer is known."

Satvision magazine, edition 08/2024 about inspire 55 dr+ Test result: 94,6% VERY GOOD



"The inspire breathes new life into the excellently designed and superbly crafted body of its predecessor, the bild i, with state-of-the-art chips and brilliant OLED panels."

connect.de, 31.7.2024 & connect magazine, edition 09/2024 about inspire 65 dr+ Test result: 914 points OUTSTANDING



"The Loewe inspire 65 dr+ is an exceptional OLED TV with a great picture, good sound, an extensive range of apps and exclusive features."

audiovision magazine, edition 09/2024 about inspire 55 dr+ Test result: 88 points VERY GOOD + HIGHLIGHT

^{*} predecessor model Loewe bild i

The individual all-rounder for smart streaming entertainment

TV

Screen diagonal (cm / inch): 164/65, 139/55, 121/48 Screen resolution (pixels): Ultra HD (3840×2160) EU energy efficiency class SDR / HDR: F/G, F/F, F/F

Power consumption max. (watts): 425, 300, 200 Power consumption standby (watts): 0,3 Energy consumption SDR / HDR (kWh/1000h): 100/104, 77/73, 58/58

Loewe inspire dr+

Scope of delivery includes TV set with HDD, invisible sound and table stand inspire 65 dr+: $W^* \times H \times PD / TD = 146,0 \times 86,8 \times 6,4 / 29,0$ inspire 55 dr+: $W^* \times H \times PD / TD = 123,6 \times 74,4 \times 6,4 / 29,0$ inspire 48 dr+: $W^* \times H \times PD / TD = 107,7 \times 65,4 \times 6,4 / 29,0$ table stand manually rotatable (+ / - 20°), hidden cable routing

| | Model | Article |
|-------------|----------------|---------|
| basalt grey | inspire 65 dr+ | 62466 |
| | inspire 55 dr+ | 62464 |
| | inspire 48 dr+ | 62463 |







Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The individual all-rounder for smart streaming entertainment

Soundbar

Loewe klang bar i

Passive soundbar for installation at Loewe inspire



klang bar i

Model

Article

59212







Subwoofer

Loewe klang sub1

Active wireless subwoofer to complement the TV



basalt grey klang sub1

The individual all-rounder for smart streaming entertainment

Setup solutions

Further options are possible. Your dealer will be happy to advise you.

Stand solutions

floor2ceiling stand

inspire 65 dr+: W* x H x PD / TD = 145,7 x 220-290 x 6,4 / 18,0 inspire 55 dr+: W* x H x PD / TD = 123,6 x 220-290 x 6,4 / 17,5 inspire 48 dr+: W* x H x PD / TD = 107,7 x 220-290 x 6,4 / 17,1 manually rotatable (+/- 110°), hidden cable routing,

height adjustable (220-290 cm), direct mounting - no adapter required

floor stand flex

inspire 65 dr+: W* x H x PD / TD = 145.7 x 128.9 x 6.4 / 54.0 inspire 55 dr+: W* x H x PD / TD = 123.6 x 116.5 x 6.4 / 54.0 inspire 48 dr+: W* x H x PD / TD = 120.8 x 107.5 x 6.4 / 54.0 manually rotatable (+/- 45°), hidden cable routing, with or without carrier for accessory tray or soundbar

floor stand universal

inspire 65 dr+: W* x H x PD / TD = 145,7 x 128,9 x 6,4 / 54,0 inspire 55 dr+: W* x H x PD / TD = 123,6 x 116,5 x 6,4 / 54,0 inspire 48 dr+: W* x H x PD / TD = 120,8 x 107,5 x 6,4 / 54,0 manually rotatable (+/- 45°), hidden cable routing

spacer table stand i

inspire 65 dr+: $B^* \times H \times TP / TG = 146,0 \times 92,8 \times 6,4 / 29,0$ inspire 55 dr+: $B^* \times H \times TP / TG = 123,6 \times 80,4 \times 6,4 / 29,0$ inspire 48 dr+: $B^* \times H \times TP / TG = 107,7 \times 71,4 \times 6,4 / 29,0$ table stand manually rotatable (+ / - 20°), for placing a klang bar under the display


Wall solutions

wall mount universal

inspire 65 dr+: W* x H x PD / TD = 145.7 x 85.8 x 6.4 / 10.1 inspire 55 dr+: W* x H x PD / TD = 123.6 x 73.4 x 6.4 / 10.1 inspire 48 dr+: W* x H x PD / TD = 107.7 x 64.4 x 6.4 / 10.1 tiltable mounting

wall mount slim 432

inspire 65 dr+: W* x H x PD / TD = 146,0 x 85,8 x 6,4 / 8,4 inspire 55 dr+: W* x H x PD / TD = 123,6 x 73,4 x 6,4 / 8,4 inspire 48 dr+: W* x H x PD / TD = 107,7 x 64,4 x 6,4 / 8,4 flat mounting





Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The individual all-rounder for smart streaming entertainment

System components

Loewe multi.room amp Colour Model Article Stereo amplifier for multiroom and home cinema black 61600 multi.room amp installations with 1.200 watts total music power Loewe klang bar5 mr 5.1.2 Dolby Atmos soundbar with wireless klang bar5 mr 60601 basalt grey subwoofer and 800 watts total music power Loewe klang bar3 mr 3.1 Dolby Atmos soundbar with integrated subwoofer and 360 watts total music power basalt grey klang bar3 mr 60614 Loewe klang sub5 Any number of klang sub5 can be connected to a basalt grey klang sub5 60603 klang bar3 mr or klang bar5 mr at the same time Loewe klang mr5 Wireless active speakers with 180 watts for basalt grey klang mr5 60606 multichannel home cinema or multiroom audio Loewe klang mr3 Wireless active speakers with 150 watts for basalt grey klang mr3 multichannel home cinema or multiroom audio Loewe klang mr1 Wireless active speakers with 30 watts as rear basalt grey 60604 klang mr1 surround or for multiroom audio

black

74000

remote klang mr

Data sheet Loewe **inspire** October 2024

and sound settings

Loewe remote klang mr

Multifunctional IR remote control for Loewe klang mr

and Loewe klang bar to operate all basic functions

The individual all-rounder for smart streaming entertainment

Aditional Information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you: Monday to Friday 09:00 – 17:00 o'clock ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

| Loewe inspire | 65 dr+ | 55 dr+ | 48 dr+ |
|---|--|--|---|
| Image | | | |
| Screen resolution (pixels) | Ultra HD (3840 x 2160) | Ultra HD (3840 x 2160) | Ultra HD (3840 x 2160) |
| Display technology | OLED (WRGB) | OLED (WRGB) | OLED (WRGB) |
| Screen diagonal (cm/inch) / Response time (ms) | 164/65/1 | 139 / 55 / 1 | 121 / 48 / 1 |
| Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v) | 1.100 / 120° | 1.100 / 120° | 800 / 120° |
| Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p | •/•/• | •/•/•/• | •/•/•/• |
| HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG | • / • / • / • (incl. IQ PD) / • | •/•/•/•(incl. IQ PD)/• | •/•/•/•(incl. IQ PD)/• |
| Reception | | | , , |
| DVB-T2/C/S2 HD / Unicable / Dual Channel | •/•/- | •/•/- | •/•/— |
| MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) | ●/●/●/● (incl. H.266) | •/•/•/• (incl. H.266) | • / • / • / • (incl. H.266) |
| DiSEqC / Sat over IP / DVB-C over IP / DVB radio | •/-/-/• | •/-/-/• | •/-/-/• |
| TV+ / Zattoo app / HD+ app | • (Live TV) / • / • | • (Live TV) / • / • | • (Live TV) / • / • |
| Audio | | | |
| Output (ca. watts sine / music) / driver (active + passive) | 2 x 10 / 2 x 20 / 2 | 2 x 10 / 2 x 20 / 2 | 2×10/2×20/2 |
| Acoustic speaker concept | speaker box + bass reflex | speaker box + bass reflex | speaker box + bass reflex |
| Front firing / down firing / 2-channel crossover | — / ● (invisible sound) / — | — / ● (invisible sound) / — | — / ● (invisible sound) / — |
| Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD | •/•/•/• | •/•/•/• | •/•/•/• |
| Class-D amp / Auto Volume (AVC) | •/• | •/• | •/• |
| 7-Band EQ / Dynamic Loudness | •/• | •/• | •/• |
| | | | |
| Operation and apps Loewe chassis / os / home screen / app store | SL8/os8/•/• | SL8/os8/•/• | SL8/os8/•/• |
| | | | |
| my Loewe app / smart apps (all: Android + iOS) | • / Vidaa app | • / Vidaa app | • / Vidaa app |
| Voice control: Alexa Skills / other | • / Vidaa voice | • / Vidaa voice | / Vidaa voice |
| EPG / Number of stations in channel list | • / 10.000 | • / 10.000 | • / 10.000 |
| Mediatext (HbbTV) / Teletext / Splitscreen | | •/•/• | •/•/• |
| Menu languages / Context related help | ● 3C / ● | • 3C / • | • 3C / • |
| Parental Lock / Automatic turn-off / Timer | | •/•/• | •/•/• |
| Software update (via USB / Internet) / Hotel Mode | •/•/• | •/•/• | •/•/• |
| Multimedia | | | |
| Loewe dr+: storage capacity (GB) / USB recording / timeshift | 1.000/o/• | 1.000/0/• | 1.000/∘/• |
| Loewe dr+: streaming server / client | -/• | -/• | -/• |
| Media player / DLNA renderer / web apps / browser | •/•/• | •/•/•/• | •/•/• |
| YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+ | •/•/•/• | •/•/•/• | •/•/•/• |
| Connectivity and Interfaces | | | |
| Antenna IEC / satellite F / CI+ 1.4 ECP certified | 1/1/1 | 1/1/1 | 1/1/1 |
| HDMI | 2 x HDMI 2.0b, 2 x HDMI 2.1 | 2 x HDMl 2.0b, 2 x HDMl 2.1 | 2 x HDMl 2.0b, 2 x HDMl 2.1 |
| HDMI UHD / ALLM / VRR | ●/●/● (120 Hz) | ●/●/● (120 Hz) | ●/●/● (120 Hz) |
| HDCP 2.2 / HDMI-CEC / ARC / eARC | •/•/•/• | •/•/•/• | 0/0/0/0 |
| USB | 4 (2 x USB 3.0) | 4 (2 x USB 3.0) | 4 (2 x USB 3.0) |
| USB-A power | 2 x 1,0 A, 2 x 0,5 A | 2 x 1,0 A, 2 x 0,5 A | 2 x 1,0 A, 2 x 0,5 A |
| Bluetooth / Miracast / AirPlay | •/•/• | •/•/• | •/•/• |
| LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi | •/•/• | •/•/• | •/•/• |
| TOSLINK / center in / cube plug stereo | •/-/• | •/-/• | •/-/• |
| Audio out control: fix / variable / sub (3.5 mm jack) | •/•/• | •/•/• | •/•/• |
| Home automation / Control4 / Crestron | •(via IP) / • / • | • (via IP) / • / • | • (via IP) / • / • |
| Energy | C(via ii) / C / C | (((((((((((((((((((((((((((((((((((((((| (via ii), e, e |
| | F (0.070) (0.0014) | E (0.002) / E (0.047) | E (0.0E1) / E (0.040) |
| EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu | F (0,879) / G (0,914) 1993207 | F (0,893) / F (0,847) 1993193 | F (0,851) / F (0,848) 1653891 |
| Mains voltages / Power switch / Off mode (watts) | 220-240V, 50/60 Hz / — / n.a. | 220-240V. 50/60 Hz / — / n.a. | 220-240V. 50/60 Hz / — / n.a. |
| | 220-240V, 30/00 HZ / — / II.ā. | 220-240 v, 307 00 HZ / — / II.d. | 220-240 v, 30/00 HZ/ — / H.d. |
| Dimensions | | | |
| Weight (ca. kg) excl. / incl. standard setup solution | 29,2 / 35,2 | 22,8 / 28,8 | 15,5 / 21,5 |
| W* x H x D (cm) without setup solution | 146,0 x 86,8 x 6,4 | 123,6 x 74,4 x 6,4 | 107,7 x 65,4 x 6,4 |
| W* x H x D (cm) incl. table stand (* incl. signature flag) | 146,0 x 88,3 x 29,0 | 123,6 x 75,9 x 29,0 | 107,7 x 66,9 x 29,0 |
| VESA support / Kensignton lock | 300 x 200 / ● | 300 x 200 / ● | 300 x 200 / ● |
| Scope of Delivery | | | |
| Consider | | invisible sound (in TV integrated) | invisible sound (in TV integrated) |
| Speaker | invisible sound (in TV integrated) | iliviainie additio (ili i v ilitegrated) | |
| Setup Solution / rotate-able | invisible sound (in TV integrated) table stand i / ● | table stand i / ● | table stand i / ● |
| Setup Solution / rotate-able | | | table stand i / ● Loewe remote alu silver (2x AAA) |
| Setup Solution / rotate-able Remote control (incl. batteries) | table stand i / ● | table stand i / ● | |
| Setup Solution / rotate-able Remote control (incl. batteries) | table stand i / ● Loewe remote alu silver (2x AAA) | table stand i / ● Loewe remote alu silver (2x AAA) | Loewe remote alu silver (2x AAA) |
| Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories | table stand i / • Loewe remote alu silver (2x AAA) • / • (2.5 m, black) | table stand i / ◆ Loewe remote alu silver (2x AAA) • / • (2,5 m, black) | Loewe remote alu silver (2x AAA) • / • (2,5 m, black) |
| Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord | table stand i / • Loewe remote alu silver (2x AAA) • / • (2.5 m, black) floor2ceiling stand, floor stand flex | table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex | Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex |
| Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories | table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex wall mount slim 432, wall mount | table stand i / ● Loewe remote alu silver (2x AAA) ● / ● (2,5 m, black) floor2ceiling stand, floor stand flex wall mount slim 432, wall mount | Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex wall mount slim 432, wall mount |
| Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories | table stand i / • Loewe remote alu silver (2x AAA) • / • (2.5 m, black) floor2ceiling stand, floor stand flex | table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex | Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex |

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

⁻ avantable, 0 - optional, - - not avantable
1 according to panel spec typ, values @ HDR 10%
30 en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

| Technical Data | 65.1 | | |
|---|---|--|---|
| Loewe inspire | 65 dr+ set | 55 dr+ set | 48 dr+ set |
| mage | | | |
| Screen resolution (pixels) | Ultra HD (3840 x 2160) | Ultra HD (3840 x 2160) | Ultra HD (3840 x 2160) |
| Display technology | OLED (WRGB) | OLED (WRGB) | OLED (WRGB) |
| Screen diagonal (cm/inch) / Response time (ms) | 164/65/1 | 139 / 55 / 1 | 121 / 48 / 1 |
| Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v) | 1.100 / 120° | 1.100 / 120° | 800 / 120° |
| JItra HD scaling / Auto Dimming / Adaptive Contrast / 24p HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG | •/•/•/• •/•/•(incl. IQ PD)/• | •/•/•/• •/•/•(incl. IQ PD)/• | •/•/•/• •/•/•(incl. IQ PD)/• |
| Reception | 0, 0, 0, 0 (mon. 10 1 2), 0 | C, C, C, C (IIICI. 1Q 1 2), C | 67 67 67 6 (moi. 10 1 b) 7 6 |
| DVB-T2/C/S2 HD / Unicable / Dual Channel | •/•/— | •/•/— | •/•/— |
| MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) | •/•/• (incl. H.266) | •/•/• (incl. H.266) | •/•/• (incl. H.266) |
| DiSEqC / Sat over IP / DVB-C over IP / DVB radio | •/-/-/• | •/-/-/• | •/-/-/• |
| TV+ / Zattoo app / HD+ app | • (Live TV) / • / • | • (Live TV) / • / • | • (Live TV) / • / • |
| Audio | | | |
| Output (ca. watts sine / music) / driver (active + passive) | 2 x 20 / 2 x 40 / 8 | 2×20/2×40/8 | 2 x 20 / 2 x 40 / 8 |
| Acoustic speaker concept | klang bar i | klang bar i | klang bar ii |
| Front firing / down firing / 2-channel crossover | •/-/• | •/-/• | •/-/• |
| Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD | •/•/•/• | •/•/•/• | •/•/•/• |
| Class-D amp / Auto Volume (AVC) | • / • | •/• | • / • |
| 7-Band EQ / Dynamic Loudness | •/• | • / • | • / • |
| Operation and apps | | | |
| Loewe chassis / os / home screen / app store | SL8/os8/•/• | SL8/os8/•/• | SL8/os8/•/• |
| my Loewe app / smart apps (all: Android + iOS) | • / Vidaa app | ✓ Vidaa app | / Vidaa app |
| Voice control: Alexa Skills / other | • / Vidaa voice | • / Vidaa voice | • / Vidaa voice |
| EPG / Number of stations in channel list | •/10.000 | • / 10.000 | • / 10.000 |
| Mediatext (HbbTV) / Teletext / Splitscreen | •/•/• | •/•/• | •/•/• |
| Menu languages / Context related help | • 3C / • | ● 3C / ● | ● 3C / ● |
| Parental Lock / Automatic turn-off / Timer | •/•/• | •/•/• | •/•/• |
| Software update (via USB / Internet) / Hotel Mode | •/•/• | •/•/• | •/•/• |
| Multimedia | | | |
| Loewe dr+: storage capacity (GB) / USB recording / timeshift | 1.000/∘/• | 1.000/0/• | 1.000/0/• |
| Loewe dr+: streaming server / client | -/• | -/• | -/• |
| Media player / DLNA renderer / web apps / browser | •/•/•/• | •/•/•/• | •/•/•/• |
| YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+ | •/•/•/• | •/•/•/• | •/•/•/• |
| Connectivity and Interfaces | | | |
| Antenna IEC / satellite F / CI+ 1.4 ECP certified | 1/1/1 | 1/1/1 | 1/1/1 |
| HDMI | 2 x HDMI 2.0b, 2 x HDMI 2.1 | 2 x HDMI 2.0b, 2 x HDMI 2.1 | 2 x HDMI 2.0b, 2 x HDMI 2.1 |
| HDMI UHD / ALLM / VRR | ●/●/● (120 Hz) | ●/●/● (120 Hz) | ●/●/● (120 Hz) |
| HDCP 2.2 / HDMI-CEC / ARC / eARC | •/•/•/ | •/•/•/• | •/•/•/• |
| USB | 4 (2 x USB 3.0) | 4 (2 x USB 3.0) | 4 (2 x USB 3.0) |
| USB-A power | 2 x 1,0 A, 2 x 0,5 A | 2 x 1,0 A, 2 x 0,5 A | 2 x 1,0 A, 2 x 0,5 A |
| Bluetooth / Miracast / AirPlay | •/•/• | •/•/• | •/•/• |
| LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi | •/•/• | •/•/• | •/•/• |
| TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) | •/ - / • •/ • / • | •/-/• | •/-/• |
| Home automation / Control4 / Crestron | • (via IP) / • / • | • (via IP) / • / • | • (via IP) / • / • |
| | (Via II) / G / G | C(VIA II) / C/ C | (via ii) / C / C |
| Energy | | | |
| EU energy efficiency class: SDR (EEI) / HDR (EEI) | via inspire 65 dr+ | via inspire 55 dr+ | via inspire 48 dr+ |
| EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) | via inspire 65 dr+ 220-240V. 50/60 Hz / — / n.a. | via inspire 55 dr+ 220-240V, 50/60 Hz / — / n.a. | via inspire 48 dr+ 220-240V, 50/60 Hz / — / n. |
| | 220 240 V, 30/ 00 FIZ / — / II.d. | 220 270 v, 30/00 HZ/ — / H.d. | 220 270 V, 30/00 FIZ/ — / II. |
| Dimensions | 21.1./ 27.1 | 247 / 207 | 174 / 22 4 |
| Weight (ca. kg) excl. / incl. standard setup solution | 31,1 / 37,1 | 24,7 / 30,7 | 17,4 / 23,4 |
| N* x H x D (cm) without setup solution | 146,0 x 86,8 x 6,4 | 123,6 x 74,4 x 6,4 | 107,7 x 65,4 x 6,4 |
| W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock | 146,0 x 88,3 x 29,0 300 x 200 / ● | 123,6 x 75,9 x 29,0 300 x 200 / ● | 107,7 x 66,9 x 29,0 300 x 200 / ● |
| | 300 x 200 / ● | J00 X 200 / ♥ | JUU X ZUU / ● |
| Scope of Delivery | | | |
| Speaker | klang bar i (in extra carton) | klang bar i (in extra carton) | klang bar i (in extra carton) |
| Setup Solution / rotate-able | table stand i / • | table stand i / • | table stand i / • |
| Remote control (incl. batteries) | Loewe remote alu silver (2x AAA) | Loewe remote alu silver (2x AAA) | Loewe remote alu silver (2x AA |
| Manual / power cord | • / • (2,5 m, black) | • / • (2,5 m, black) | / ● (2,5 m, black) |
| Optional accessories | | | |
| Selection of recommended setup solutions and audio systems | floor2ceiling stand, floor stand flex | floor2ceiling stand, floor stand flex | floor2ceiling stand, floor stand t |
| | wall mount slim 432, wall mount | wall mount slim 432, wall mount | wall mount slim 432, wall mour |
| | universal, klang bar5 mr. | universal, klang bar5 mr. | universal, klang bar3 mr. klar |

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies, Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some of this digital content and services on the device are at the sole discretion of the third party. Some of this digital content and services on the device are at the sole discretion of the third party. Some of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

klang bar3 mr, klang bar i, klang sub1,

universal, klang bar5 mr,

multi.room amp

universal, klang bar5 mr,

multi.room amp

klang bar3 mr, klang bar i, klang sub1,

universal, klang bar 3 mr, klang bar i,

klang sub1, multi.room amp

^{• =} available, • = optional, - = not available

¹ according to panel spec typ, values @ HDR 10%
3°0 en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk